

**DECLARATION of CONFORMITY**

(for technical approvals in construction)

Nr. .... / .....

**1. Unique identification code of the product- type:**

Rainwater systems for roof – NOVATIK

**2. Type batch or serial number or any other element allowing identification of the construction product– if applicable:**

- identification by product code of the NOVATIK set components

**3. Intended use(s) of the construction product:**

NOVATIK products are used for collecting, directing and draining rainwater from roofs in civil, social-cultural, industrial and agro-livestock buildings. They are used in new or existing buildings, in medium aggressive urban and/or industrial environments.

**4. Name, trade name or registered trade mark and contact address of the manufacturer:**

NOVATIK S.R.L., 9 Mai street, No. 75, Băicoi, Prahova county, Tel: 0244.260.140; Fax: 0244.260.145

**5. Name and contact address of the authorised representative:**

It's not the case

**6. The conformity is demonstrated by reference:****TECHNICAL BUILDING APPROVAL NO. 001SC-03/412-2023****7. Performance of products:**

Characteristics:	Standard of tests	Technical reference specification	Declared values (test results)
<b>Elements of rainwater systems – NOVATIK (Novatik Quadra and Novatik Ronda)</b>			
The aspect	Visual inspection	Technical Agreement 001SC-03/412-2023	The surface of the products is smooth, brown, brick, chocolate, red, white, black, natural grey, grey, red cherry and burgundy, without stains, peeling, overcoating, blisters, cracks or other defects.
Shape	Visual inspection	Technical Agreement 001SC-03/412-2023	The shape of the products is according to the data sheet
Sectional dimensions	SR EN 508-1 (assimilated) Verification by measurement	Technical Agreement 001SC-03/412-2023	Product dimensions are within $\pm 2\%$ deviation
Waterproof of gutters and downpipes	SR 137-95 (assimilated)	Technical Agreement 001SC-03/412-2023	No water infiltration
Cold behaviour (24 h, t = -25°C)	SR CEN/TS12390-9 :2009 (assimilated)	Technical Agreement 001SC-03/412-2023	No peeling, spots, blisters or colour changes
Hot behaviour (24 h, t = 100°C)	SR EN ISO 3248:2001 (assimilated)	Technical Agreement 001SC-03/412-2023	No peeling, spots, blisters or colour changes

Name and address of the laboratory that performed the tests: INCĐ URBAN-INCERC Cluj-Napoca Branch, 400 524 Cluj-Napoca, Calea Florești No.117, Tel./Fax: 0264-425 988; e-mail: [info@incerc-cluj.ro](mailto:info@incerc-cluj.ro)

This declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

NOVATIK S.R.L. Technical / Sales Manager - Dragoș Ichim



Novatik  
S.R.L.  
Băicoi, ROMANIA

Date: 21.11.2023

**Novatik**

INTERLOCKING STEEL ROOF SYSTEM

[WWW.NOVATIK.RO/EN](http://WWW.NOVATIK.RO/EN)

**NOVATIK SRL**

No. 75, 9 Mai Street,  
105200, Băicoi, Prahova County,  
Romania

Tel: +40244 260 140

Fax: +40244 260 145

[www.novatik.ro/en](http://www.novatik.ro/en)